

## STR Authentication Report For Cell Line

O) UBIGENE

1. Cell Name: IMR-32

2. Test Method: DNA was extracted using the genome extraction kit (Axygen), amplified

using a 21- STR amplification protocol, the STR loci and gender gene Amelogenin were

Sample ge					6	UBIC	
	Genotype	analysis resu	Ilts of STR and	Amelogenin l	oci in cells 💛		
STR Loci	STR profile for Sample cell			STR profile for Cell Bank cell			
	Cell name: STR24103118			Cell name: IMR-32			
	Allele1	Allele2	Allele3	Allele1	Allele2	Allele3	
D5S818	11	12	BIC	11	12		
D13S317	9	9	8	9	9		
D7S820	9	10		9	10	BIGE	
D16S539	8	8		8	8 6		
VWA	15	15		15	15	-	
TH01	GE 7	9.3		7	9.3		
AMEL	Х	Y		х	Y		
ТРОХ	11	11	C	- 11	11		
CSF1PO	11	12	BIC	11	12		
D12S391	23	23	0				
FGA	21	24				BIGE	
D2S1338	23	24					
D21S11	30	31					
D18S51	12	15					
D8S1179	13	13					
D3S1358	16	16		ENE			
D6S1043	14	18	1210	IE'			

1

Ĩ

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

D19S433 14 15    PENTAD 11 12     D1S1656 17 17.3	PENTAE	GE 7	15			9	
	D19S433	14	15				
D1S1656 17 17.3	PENTAD	11	12		ENE		
	D1S1656	17	17.3	BIC			

Conclusion: The STR results of <u>IMR-32</u> cells are consistent with the genotypes of <u>IMR-32</u> cell lines in <u>DSMZ</u> database, the cell ID corresponded to <u>ACC-165</u>, and the STR results <u>completely matched</u>. In the test, <u>No multi allele was found</u> in this cell line.

O UBIGENE

Gene-editing cell lines | CRISPR Library Microorganisms | EZ-editor™ series products

## 5. Attached Image

